

Here K, K' are defined by

$$K(k) = \int_0^{\pi/2} (1 - k^2 \sin^2 \theta)^{-1/2} d\theta, \quad K' = K(k'). \quad (\text{C.3})$$

Special relations:

$$\begin{aligned} \operatorname{sn}(-z) &= -\operatorname{sn}(z), & \operatorname{cn}(-z) &= \operatorname{cn}z, & \operatorname{dn}(-z) &= \operatorname{dn}z, \\ \operatorname{sn}^2 z + \operatorname{cn}^2 z &= 1, & k^2 \operatorname{sn}^2 z + \operatorname{dn}^2 z &= 1. \end{aligned} \quad (\text{C.4})$$

Special values:

$$\begin{aligned} \operatorname{sn}0 &= 0, & \operatorname{sn}K &= 1, & \operatorname{sn}(K+iK') &= 1/k, \\ \operatorname{cn}0 &= 1, & \operatorname{cn}K &= 0, & \operatorname{cn}(K+iK') &= -ik'/k, \\ \operatorname{dn}0 &= 1, & \operatorname{dn}K &= k', & \operatorname{dn}(K+iK') &= 0. \end{aligned} \quad (\text{C.5})$$

The elliptic functions all have simple poles at $z = iK'$. As z increases from 0 to K , $\operatorname{sn}z$ increases from 0 to 1, $\operatorname{cn}z$ decreases from 1 to 0, and $\operatorname{dn}z$ decreases from 1 to k' . As z varies from K to $K+iK'$, $\operatorname{sn}z$ increases from 1 to k^{-1} , $\operatorname{cn}z$ is pure imaginary and varies from 0 to $-ik'/k$, and $\operatorname{dn}z$ decreases from k' to 0. As z varies from $K+iK'$ to iK' , $\operatorname{sn}z$ increases from $1/k$ to $+\infty$, $\operatorname{cn}z$ is pure imaginary and varies from $-ik'/k$ to $-i\infty$, and $\operatorname{dn}z$ is pure imaginary and varies from 0 to $-i\infty$.

Derivatives:

$$\frac{d}{dz} \operatorname{sn}z = \operatorname{cn}z \operatorname{dn}z, \quad \frac{d}{dz} \operatorname{cn}z = -\operatorname{sn}z \operatorname{dn}z, \quad \frac{d}{dz} \operatorname{dn}z = -k^2 \operatorname{sn}z \operatorname{cn}z. \quad (\text{C.6})$$

REFERENCES

1. L. Ahlfors, *Complex Analysis*. McGraw-Hill, New York, 1953.
2. N. Akheizer, and I. Glazman, *Theory of Linear Operators in Hilbert Space*, Vol. II (transl. from the Russian). Ungar, New York, 1963.
3. R. Anderson, S. Kumei, and C. Wulfman, "Invariants of the equations of wave mechanics, I and II," *Rev. Mexicana Fis.* **21** (1972), 1–33; 35–57.
4. P. Appell, and J. Kampe de Feriet, *Functions Hypergéométriques et Hypersphériques*. Gauthiers-Villars, Paris, 1926.
5. L. Armstrong, Jr., "Group properties of radial wavefunctions," *J. Phys. Colloq.* **C4**, *Suppl.* **31** (1970), 17–23.
6. L. Armstrong, Jr., " $O(2, 1)$ and the harmonic oscillator radial function," *J. Math. Phys.* **12** (1971), 953–957.
7. F. Arscott, *Periodic Differential Equations*. Macmillan (Pergamon), New York, 1964.

8. F. Arscott, "The Whittaker–Hill equation and the wave equation in paraboloidal coordinates," *Proc. Roy. Soc. Edinburgh A* **67** (1967), 265–276.
9. V. Bargmann, "Zur Theorie des Wasserstoffatoms," *Z. Physik* **99** (1936), 576–582.
10. V. Bargmann, "Irreducible unitary representations of the Lorentz group," *Ann. of Math.* **48** (1947), 568–640.
11. V. Bargmann, "On a Hilbert space of analytic functions and an associated integral transform, I," *Comm. Pure Appl. Math.* **14** (1961), 187–214.
12. H. Bateman, *Electrical and Optical Wave-Motion* (reprint of 1914 ed.). Dover, New York, 1955.
13. H. Bateman, *Partial Differential Equations of Mathematical Physics* (1st ed., 1932). Cambridge Univ. Press, London and New York, 1969.
14. H. Bateman, "The transformation of the electrodynamical equations," *J. London Math. Soc.* **8** (1909), 223–264.
15. G. Blumen and J. Cole, "The general similarity solution of the heat equation," *J. Math. and Mech.* **18** (1969), 1025–1042.
16. G. Blumen and J. Cole, *Similarity Methods for Differential Equations (Applied Mathematical Sciences, Vol. 13)*. Springer, New York, 1974.
17. M. Böcher, *Die Reihenentwickelungen der Potentialtheorie*. Leipzig, 1894.
18. C. Boyer, "The maximal kinematical invariance group for an arbitrary potential," *Helv. Phys. Acta* **47** (1974), 589–605.
19. C. Boyer, "Lie theory and separation of variables for the equation $iU_t + \Delta_2 U - (\alpha/x_1^2 + \beta/x_2^2)U = 0$," *SIAM J. Math. Anal.* **7** (1976), 230–263.
20. C. Boyer, E. Kalnins, and W. Miller, Jr., "Lie theory and separation of variables, 6: The equation $iU_t + \Delta_2 U = 0$," *J. Math. Phys.* **16** (1975), 499–511.
21. C. Boyer, E. Kalnins, and W. Miller, Jr., "Lie theory and separation of variables, 7: The harmonic oscillator in elliptic coordinates and Ince polynomials," *J. Math. Phys.* **16** (1975), 512–517.
22. C. Boyer, E. Kalnins, and W. Miller, Jr., "Symmetry and separation of variables for the Helmholtz and Laplace equations," *Nagoya Math. J.* **60** (1976), 35–80.
23. C. Boyer and W. Miller, Jr., "A classification of second-order raising operators for Hamiltonians in two variables," *J. Math. Phys.* **15** (1974), 1484–1489.
24. C. Boyer and B. Wolf, "Finite $SL(2, R)$ representation matrices of the D_k^+ series for all subgroup reductions," *Rev. Mexicana Fis.* **25**, (1976), 31–45.
25. L. Bragg, "The radial heat polynomials and related functions," *Trans. Amer. Math. Soc.* **119** (1965), 270–290.
26. H. Buchholz, *The Confluent Hypergeometric Function*. Springer, New York, 1969.
27. E. Cartan, "Sur la détermination d'un système orthogonal complet dans un espace de Riemann symétrique clos," *Rend. Circ. Math. Palermo* **53** (1929), 217–252.
28. T. Cherry, "Expansions in terms of parabolic cylinder functions," *Proc. Edinburgh Math. Soc. (2)*, **8** (1949), 50–65.
29. F. Cholewinski and D. Haimo, "The dual Poisson–Laguerre transform," *Trans. Amer. Math. Soc.* **144** (1969), 271–300.
30. C. Coulson and A. Joseph, "A constant of the motion for the two-center Kepler problem," *Internat. J. Quant. Chem.* **1** (1967), 337–347.
31. A. Davydov, *Quantum Mechanics* (transl. from the Russian). Pergamon, Oxford, England, 1965.
32. P. Dirac, "Discussion of the infinite distribution of electrons in the theory of the positron," *Proc. Cambridge Phil. Soc.* **30** (1934), 150–163.
33. N. Dunford and J. Schwartz, *Linear Operators*, Parts I and II. Wiley (Interscience), New York, 1958, 1963.
34. L. Eisenhart, *Continuous Groups of Transformations* (reprint). Dover, New York, 1961.
35. A. Erdélyi, "Generating functions of certain continuous orthogonal systems," *Proc. Roy. Soc. Edinburgh A* **61**, (1941), 61–70.

36. A. Erdélyi *et al.*, *Higher Transcendental Functions*, Vol. I. McGraw-Hill, New York, 1953.
37. A. Erdélyi *et al.*, *Higher Transcendental Functions*, Vol. II. McGraw-Hill, New York, 1953.
38. F. Estabrook and B. Harrison, "Geometric approach to invariance groups and solution of partial differential systems," *J. Math. Phys.* **12** (1971), 653–666. F. Estabrook and H. Wahlquist, "Prolongation structures of nonlinear evolution equations," *J. Math. Phys.* **16** (1975), 1–7.
39. B. Friedman and J. Russek, "Addition theorems for spherical waves," *Quart. Appl. Math.* **12** (1954), 13–23.
40. I. Gel'fand, R. Minlos, and Z. Shapiro, *Representations of the Rotation and Lorentz Groups and Their Applications* (transl. from the Russian). Macmillan, New York, 1963.
41. I. Gel'fand and M. Naimark, "Unitary representations of the classical groups" (in Russian), *Trudy Mat. Inst. Steklov* **36** (1950).
42. I. Gel'fand and N. Vilenkin, *Generalized Functions*, Vol. 4: *Application of Harmonic Analysis* (transl. from the Russian). Academic Press, New York, 1964.
43. R. Gilmore, *Lie Groups, Lie Algebras and Some of their Applications*. Wiley, New York, 1974.
44. L. Gross, "Norm invariance of mass-zero equations under the conformal group," *J. Math. Phys.* **5** (1964), 687–695.
45. M. Hamermesh, *Group Theory and its Applications to Physical Problems*. Addison-Wesley, Reading, Mass., 1962.
46. M. Hausner and J. Schwartz, *Lie Groups and Lie Algebras*. Gordon & Breach, New York, 1968.
47. S. Helgason, *Differential Geometry and Symmetric Spaces*. Academic Press, New York, 1962.
48. P. Henrici, "Addition theorems for general Legendre and Gegenbauer functions," *J. Rat. Mech. Anal.* **4** (1955), 983–1018.
49. T. Hida, *Brownian Motion* (in Japanese). Iwanami Book Co., Tokyo, 1975.
50. H. Hochstadt, "Addition theorems for solutions of the wave equation in parabolic coordinates," *Pacific J. Math.* **7** (1957), 1365–1380.
51. E. Ince, *Ordinary Differential Equations* (reprint). Dover, New York, 1956.
52. L. Infeld and T. Hull, "The factorization method," *Rev. Mod. Phys.* **23** (1951), 21–68.
53. T. Inou, "Unified theory of recurrence formulas," *Progr. Theoret. Phys.* **3** (1948), 169–187, 244–261.
54. E. Kalnins, "Mixed-basis matrix elements for the subgroup reductions of $SO(2,1)$," *J. Math. Phys.* **14** (1973), 654–657.
55. E. Kalnins, "On the separation of variables for the Laplace equation in two- and three-dimensional Minkowski space," *SIAM J. Math. Anal.* **6** (1975), 340–374.
56. E. Kalnins and W. Miller, Jr., "Symmetry and separation of variables for the heat equation," *Proc. Conf. on Symmetry, Similarity and Group-Theoretic Methods in Mechanics*, pp. 246–261. Univ. of Calgary, Calgary, Canada, 1974.
57. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 3: The equation $f_{tt} - f_{ss} = \gamma^2 f$," *J. Math. Phys.* **15** (1974), 1025–1032; "Erratum," *J. Math. Phys.* **16** (1975), 1531.
58. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 4: The groups $SO(2,1)$ and $SO(3)$," *J. Math. Phys.* **15** (1974), 1263–1274.
59. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 5: The equations $iU_t + U_{xx} = 0$ and $iU_t + U_{xx} - c/x^2 U = 0$," *J. Math. Phys.* **15** (1974), 1728–1737.
60. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 8: Semisubgroup coordinates for $\Psi_{tt} - \Delta_2 \Psi = 0$," *J. Math. Phys.* **16** (1975), 2507–2516.
61. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 9: Orthogonal R -separable coordinate systems for the wave equation $\Psi_{tt} - \Delta_2 \Psi = 0$," *J. Math. Phys.* **17** (1976), 331–355.

62. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 10: Nonorthogonal R -separable solutions of the wave equation $\Psi_{tt} = \Delta_2 \Psi$," *J. Math. Phys.* **17** (1976), 356–368.
63. E. Kalnins and W. Miller, Jr., "Lie theory and separation of variables, 11: The EPD equation," *J. Math. Phys.* **17** (1976), 369–377.
64. E. Kalnins and W. Miller, Jr., "Lie theory and the wave equation in space-time, 1: The Lorentz group," *J. Math. Phys.* **18**, (1977), 1–16.
65. E. Kalnins, W. Miller, Jr., and P. Winternitz, "The group $O(4)$, separation of variables and the hydrogen atom," *SIAM J. Appl. Math.* **30** (1976), 630–664.
66. H. Kastrup, "Conformal group and its connection with an indefinite metric in Hilbert space," *Phys. Rev.* **140** (1965), B183–186.
67. T. Kato, *Perturbation Theory for Linear Operators*. Springer, New York, 1966.
68. T. Koornwinder, "The addition formula for Jacobi polynomials and spherical harmonics," *SIAM J. Appl. Math.* **25** (1973), 236–246.
- 68a. T. Koornwinder, "Jacobi polynomials, II: An analytic proof of the product formula," *SIAM J. Math. Anal.* **5** (1974), 125–137.
69. J. Korevaar, *Mathematical Methods*, Vol. 1. Academic Press, New York, 1968.
70. L. Landau and E. Lifshitz, *Quantum Mechanics, Non-Relativistic Theory* (transl. from the Russian). Addison-Wesley, Reading, Mass., 1958.
71. G. Lauricella, "Sulle funzioni ipergeometriche a più variabili," *Rend. Circ. Mat. Palermo* **7** (1893), 111–113.
72. B. Levitan and I. Sarsjan, *Introduction to Spectral Theory of Selfadjoint Ordinary Differential Operators* (transl. from the Russian; *Translations of Mathematical Monographs*, Vol. 39). Amer. Math. Soc., Providence, R. I., 1975.
73. J.-M. Levy-Leblond, "Galilei group and Galilean invariance," in *Group Theory and Its Applications* (E. Loebl, Ed.), Vol. II. Academic Press, New York, 1971.
74. N. Macfadyen and P. Winternitz, "Crossing symmetric expansions of physical scattering amplitudes; the $O(2,1)$ group and Lamé functions," *J. Math. Phys.* **12** (1971), 281–293.
75. G. Mackey, *Induced Representations of Groups and Quantum Mechanics*. W. A. Benjamin, New York, 1968.
76. A. Makarov, J. Smorodinsky, K. Valiev, and P. Winternitz, "A systematic search for nonrelativistic systems with dynamical symmetries, Part I: The integrals of motion," *Nuovo Cimento* **52A** (1967), 1061–1084.
77. K. Maurin, *General Eigenfunction Expansions and Unitary Representations of Topological Groups*. PWN-Polish Scientific Publishers, Warsaw, 1968.
78. E. McBride, *Obtaining Generating Functions*. Springer, Berlin, 1971.
79. J. Meixner and F. Schäfke, *Mathieusche Funktionen und Sphäroidfunktionen*. Springer, Berlin, 1965.
80. W. Miller, Jr., *On Lie Algebras and Some Special Functions of Mathematical Physics* (Amer. Math. Soc. Memoir No. 50). Amer. Math. Soc., Providence, R.I., 1964.
81. W. Miller, Jr., "Confluent hypergeometric functions and representations of a four-parameter Lie group," *Comm. Pure Appl. Math.* **19** (1966), 251–259.
82. W. Miller, Jr., *Lie Theory and Special Functions*. Academic Press, New York, 1968.
83. W. Miller, Jr., "Special functions and the complex Euclidean group in 3-space, I," *J. Math. Phys.* **9** (1968), 1163–1175.
84. W. Miller, Jr., "Special functions and the complex Euclidean group in 3-space, III," *J. Math. Phys.* **9** (1968), 1434–1444.
85. W. Miller, Jr., *Symmetry Groups and Their Applications*. Academic Press, New York, 1972.
86. W. Miller, Jr., "Clebsch-Gordan coefficients and special function identities, I: The harmonic oscillator group," *J. Math. Phys.* **13** (1972), 648–655.
87. W. Miller, Jr., "Clebsch-Gordan coefficients and special function identities, II: The rotation and Lorentz groups," *J. Math. Phys.* **13** (1972), 827–833.

88. W. Miller, Jr., "Lie theory and generalized hypergeometric functions," *SIAM J. Math. Anal.* **3** (1972), 31–44.
89. W. Miller, Jr., "Lie theory and Meijer's G function," *SIAM J. Math. Anal.* **5** (1974), 309–318.
90. W. Miller, Jr., "Lie theory and the Lauricella functions F_D ," *J. Math. Phys.* **13** (1972), 1393–1399.
91. W. Miller, Jr., "Lie theory and generalizations of the hypergeometric functions," *SIAM J. Appl. Math.* **25** (1973), 226–235.
92. W. Miller, Jr., "Lie algebras and generalizations of the hypergeometric function," in *Harmonic Analysis on Homogeneous Spaces (Proc. Symp. Pure Math. 26)*, pp. 355–356, Amer. Math. Soc., Providence, R.I., 1973.
93. W. Miller, Jr., "Symmetries of differential equations: The hypergeometric and Euler–Darboux equations," *SIAM J. Math. Anal.* **4** (1973), 314–328.
94. W. Miller, Jr., "Lie theory and separation of variables, 1: Parabolic cylinder coordinates," *SIAM J. Math. Anal.* **5** (1974), 626–643.
95. W. Miller, Jr., "Lie theory and separation of variables, 2: Parabolic coordinates," *SIAM J. Math. Anal.* **5** (1974), 822–836.
96. W. Montgomery and L. O'Raifeartaigh, "Noncompact Lie-algebraic approach to the unitary representations of $\widetilde{SU}(1,1)$," *J. Math. Phys.* **15** (1974), 380–382.
97. P. Moon and D. Spencer, *Field Theory Handbook*. Springer, Berlin, 1961.
98. P. Morse and H. Feshbach, *Methods of Theoretical Physics*, Part I. McGraw-Hill, New York, 1953.
99. M. Moshinsky, T. Seligman, and K. Wolf, "Canonical transformations and the radial oscillator and Coulomb problems," *J. Math. Phys.* **13** (1972), 901–907.
100. M. Naimark, *Linear Differential Operators*, Part II. Ungar, New York, 1968.
101. A. Naylor and G. Sell, *Linear Operator Theory*. Holt, New York, 1971.
102. U. Niederer, "The maximal kinematical invariance group of the harmonic oscillator," *Helv. Phys. Acta* **46** (1973), 191–200.
103. U. Niederer, Universität Zurich preprint, December 1973.
104. P. Olevski, "The separation of variables in the equation $\Delta_3 u + \lambda u = 0$ for spaces of constant curvature in two and three dimensions," *Mat. Sb.* **27** (69) (1950), 379–426.
105. L. Ovsjannikov, *Group Properties of Differential Equations* (in Russian). Acad. Sci. USSR, Novosibirsk, 1962.
106. J. Patera and P. Winternitz, "A new basis for the representations of the rotation group: Lamé and Heun polynomials," *J. Math. Phys.* **14** (1973), 1130–1139.
107. I. Petrovsky, *Lectures on Partial Differential Equations* (transl. from the Russian). Wiley (Interscience), New York, 1954.
108. A. Pham Ngoc Dinh, "Opérateurs diagonaux associés à l'équation de Mathieu et applications," *C. R. Acad. Sci. Paris* **A279** (1974), 557–560.
109. E. Prugovecki, *Quantum Mechanics in Hilbert Space*. Academic Press, New York, 1971.
110. E. Rainville, "The contiguous function relations for ${}_pF_q$ with applications," *Bull. Amer. Math. Soc.* **51** (1945), 714–723.
111. M. Reed and B. Simon, *Methods of Modern Mathematical Physics*, Vol. I: *Functional Analysis*. Academic Press, New York, 1972.
112. F. Riesz and B. Sz-Nagy, *Functional Analysis* (transl.). Ungar, New York, 1955.
113. P. Rosenbloom and D. Widder, "Expansions in terms of heat polynomials and associated functions," *Trans. Amer. Math. Soc.* **92** (1959), 220–266.
114. S. Rosencrans, "Perturbation algebra of an elliptic operator," *J. Math. Anal. Appl.* **56**, (1976), 317–329.
115. P. Sally, *Analytic Continuation of the Irreducible Unitary Representations of the Universal Covering Group of $SL(2, R)$* (Amer. Math. Soc. Mem. No. 69). Amer. Math. Soc., Providence, R.I., 1967.
116. F. Schafke, *Einführung in die Theorie der Speziellen Funktionen der Mathematischen Physik*. Springer, Berlin, 1963.

117. E. Schrödinger, "On solving eigenvalue problems by factorization," *Proc. Roy. Irish Acad.* **A46** (1940), 9–16.
118. S. Schweber, *Relativistic Quantum Field Theory*. Harper, New York, 1961.
119. R. Shapiro, "Special functions related to representations of the group $SU(n)$, of class I with respect to $SU(n-1)$ ($n \geq 3$)," *Izv. Vyssh. Učebn. Zaved. Matematika* **4** (71) (1968), 97–107 (in Russian).
120. L. Slater, *Generalized Hypergeometric Functions*. Cambridge Univ. Press, London and New York, 1966.
121. Y. Smorodinsky and I. Tugov, "On complete sets of observables," *Soviet Physics JETP* **1966**, 434–436.
122. I. Stakgold, *Boundary Value Problems of Mathematical Physics*, Vol. 1. Macmillan, New York, 1967.
123. G. Szegő, *Orthogonal Polynomials (Amer. Math. Soc. Colloq. 23)*. Amer. Math. Soc., Providence, R.I., 1959.
124. J. Talman, *Special Functions: A Group Theoretic Approach*. W. A. Benjamin, New York, 1968.
125. E. Titchmarsh, *Eigenfunction Expansions*, Part I (2nd ed.), Oxford Univ. Press, London and New York, 1962.
126. C. Truesdell, *An Essay Toward a Unified Theory of Special Functions* (Ann. of Math. Studies No. 18). Princeton Univ. Press, Princeton, N. J., 1948.
127. K. Urwin and F. Arscott, "Theory of the Whittaker–Hill equation," *Proc. Roy. Soc. Edinburgh* **A69** (1970), 28–44.
128. N. Vilenkin, *Special Functions and the Theory of Group Representations* (transl. from the Russian; Amer. Math. Soc. Transl., Vol 22). Amer. Math. Soc., Providence, R. I., 1968.
129. B. Viswanathan, "Generating functions for ultraspherical functions," *Canad. J. Math.* **20** (1968), 120–134.
130. G. Warner, *Harmonic Analysis on Semi-Simple Lie Groups*, Vols. I and II. Springer, New York, 1972.
- 130a. G. N. Watson, *A Treatise on the Theory of Bessel Functions*. Cambridge Univ. Press, London and New York, 1966.
131. A. Weinstein, "The generalized radiation problem and the Euler–Poisson–Darboux equation," *Summa Brasil. Math.* **3** (1955), 125–146.
132. A. Weinstein, "On a Cauchy problem with subharmonic initial values," *Ann. Mat. Pura Appl.* (4), **43** (1957), 325–340.
133. L. Weisner, "Group-theoretic origin of certain generating functions," *Pacific J. Math.* **5** (1955), 1033–1039.
134. L. Weisner, "Generating functions for Bessel functions," *Canad. J. Math.* **11** (1959), 148–155.
135. L. Weisner, "Generating functions for Hermite functions," *Canad. J. Math.* **11** (1959), 141–147.
136. E. Whittaker, "On Hamilton's principal function in quantum mechanics," *Proc. Roy. Soc. Edinburgh* **A61** (1941), 1–19.
- 136a. E. T. Whittaker and G. N. Watson, *A Course of Modern Analysis* (4th ed.). Cambridge Univ. Press, London and New York, 1958. p. 366
137. E. Wigner, *Group Theory and Its Application to the Quantum Mechanics of Atomic Spectra*. Academic Press, New York, 1959.
138. P. Winternitz and I. Fris, "Invariant expansions of relativistic amplitudes and subgroups of the proper Lorentz group," *Soviet Physics JNP* **1** (1965), 636–643.
139. P. Winternitz, I. Lukáč, and Y. Smorodinsky, "Quantum numbers in the little groups of the Poincaré group," *Soviet Physics JNP* **7** (1968), 139–145.
140. P. Winternitz, Y. Smorodinsky, M. Uhlir, and I. Fris, "Symmetry groups in classical and quantum mechanics," *Soviet Physics JNP* **4** (1967), 444–450.
141. K. Yosida, *Lectures on Differential and Integral Equations*. Wiley (Interscience), New York, 1960.